Natural Areas Journal

UNIVERSITY OF HAWAII
AUG 8 1997
LIBRARIES

Cumulative Index
Volume 1 - 8
1981 - 1988

1981

Vol. 1, No. 1



Journal of the
Natural Areas Association
January 1981
Volume 1, Number 1

CONTENTS

Letter From the President	John E. Schwegman	
Features		
The Natural Areas Association -- A Brief History of Formation	Greg F. Iffrig	
The Illinois Landowner Contact Program -- Revisited	Gerald A. Paulson	2
Hunting Policies on Nature Preserves and Natural Areas in Eleven Midwestern States	Marlin Bowles	5
Membership		10
Natural Area Notes		12

An organization of professionals and natural area workers promoting nature preservation as an integral part of natural resources conservation

1988

Vol. 8, No. 4

QH
76
N37
ndex
1-8
981-1988

The *Natural Areas Journal* was introduced to the members of the Natural Areas Association in January 1981, first under the title *Journal of the Natural Areas Association*, which was changed to the current title in January 1982. Since that first issue eight years ago, the journal has more than tripled in size; expanded its content by adding new sections; and, starting in January 1984, featured original artwork on each cover. The staff of the *Natural Areas Journal* have been proud to present articles that demonstrate the diversity of challenges facing natural area workers today.

Natural Areas Journal articles are indexed in BIOSIS (Biosciences Information Service), Environmental Periodicals Bibliography, PAIS (Public Affairs Information Service), Wildlife Review, CAB International (Commonwealth Agricultural Bureaux), Ecology Abstracts, AGRICOLA, and CABS (Current Awareness in Biological Sciences). The journal is protected by United States copyright law and registered with the Library of Congress (ISSN 0885-8608).

Holly Wheeler, Managing Editor
C. Jean Tygum, Production Assistant

Volume (No.)	Date	Volume (No.)	Date
1(1)	January 1981	5(1)	January 1985
1(2)	April 1981	5(2)	April 1985
1(3)	July 1981	5(3)	July 1985
1(4)	October 1981	5(4)	October 1985
2(1)	January 1982	6(1)	January 1986
2(2)	April 1982	6(2)	April 1986
2(3)	July 1982	6(3)	July 1986
2(4)	October 1982	6(4)	October 1986
3(1)	January 1983	7(1)	January 1987
3(2)	April 1983	7(2)	April 1987
3(3)	July 1983	7(3)	July 1987
3(4)	October 1983	7(4)	October 1987
4(1)	January 1984	8(1)	January 1988
4(2)	April 1984	8(2)	April 1988
4(3)	July 1984	8(3)	July 1988
4(4)	October 1984	8(4)	October 1988

Author Index

Abrahamson, W. G. *See under* Peroni, P. A. 5(1): 20-24.

Aldon, E. F. and J. F. Barstad. Escudilla Mountain Research Natural Area: a study of an undisturbed montane grassland in Arizona. 7(3): 107-117.

Anderson, D. Research goals for natural areas. 3(1): 27-32.

The natural divisions of Ohio. 3(2): 23-33.

Anderson, H. M. Old-growth forests: a conservationist's perspective. 8(1): 13-16.

Apfelbaum, S. I. Cattail (*Typha* spp.) management. 5(3): 9-17.

Apfelbaum, S. I. and C. E. Sams. Ecology and management of reed canary grass (*Phalaris arundinacea* L.). 7(2): 69-74.

Armentano, T. V. Standardized ecological measurements in natural areas. 1(2): 3-8.

Arnold, R. A. Private and government-funded conservation programs for endangered insects in California. 5(2): 28-39.

Bacone, J. A. The Indiana ginseng program. 2(2): 7-9.

Baldwin, T. T. Recognition versus acquisition approach to natural heritage preservation—Arizona's natural areas program. 1(3): 13-14.

Barrett, J. M. Acres, Inc.—twenty-five years of natural area preservation in northeastern Indiana. 6(2): 44-46.

Barstad, J. F. *See under* Aldon, E. F. 7(3): 107-117.

Baskin, C. C. *See under* Baskin, J. M. 6(3): 26-30.

Baskin, J. M. and C. C. Baskin. Some considerations in evaluating and monitoring populations of rare plants in successional environments. 6(3): 26-30.

Bean, M. J. Guest editorial: Endangered species act reauthorization. 5(2): 6.

Blair, W. D. Remarks presented before the House Subcommittee on Fisheries, Wildlife Conservation, and the Environment. 2(3): 32-35.

Bowles, M. L. Hunting policies on nature preserves and natural areas in eleven midwestern states. 1(1): 5-9.

See under Iffrig, G. F. 3(2): 3-11, 62-67.

The tallgrass prairie orchids *Platanthera leucophaea* (Nutt.) Lindl. and *Cypripedium candidum* Muhl. ex. Willd.: some aspects of their status, biology and ecology, and implications toward management. 3(4): 14-37.

Letter to editor: Distribution error—*Platanthera leucophaea*. 5(2): 4.

Bowles, M. L., W. J. Hess, M. M. DeMauro, and R. D. Hiebert. Endangered plant inventory and monitoring strategies at Indiana Dunes National Lakeshore. 6(1): 18-26.

Bratton, S. P. The effects of exotic plant and animal species on nature preserves. 2(3): 3-13.

See under White, P. S. 3(4): 4-13.

Campbell, F. T. Guest editorial: Endangered species act reauthorization. 1(4): 23.

Federal natural area matters (excerpts from correspondence with Bureau of Land Management). 4(4): 43-48.

Status of endangered species act. 5(2): 7.

See under Williams, D. C. 8(4): 231-237.

Carruthers, G. Federal natural area matters (Bureau of Land Management letter of response). 4(4): 46-48.

Cheatham, N. H. Book review: Natural heritage: classification, inventory, and information. 2(4): 30-32.

Chure, D. J. and T. Fremd. Protecting fossil resources in the national park system. 7(4): 194-195.

Cook, E. R. *See under* Sheppard, P. R. 8(1): 7-12.

Dana, R. The Dakota skipper: a now rare prairie butterfly. 3(3): 31-34.

Davis, D. *See under* Heitlinger, M. 5(1): 25-30.

DeMauro, M. M. *See under* Bowles, M. L. 6(1): 18-26.

Dieterich, J. H. *See under* Moir, W. H. 8(1): 17-24.

Drake, L. D. Geobotanical prairie search methods. 8(2): 118-119.

Drake, L. and B. Kirchner. Protecting remnant natural communities along rural roadsides. 7(2): 79-80.

Dubis, D., R. A. Strait, M. T. Jackson, and J. O. Whitaker, Jr. Floristics and effects of burning on vegetation and small mammal populations at Little Bluestem Prairie Nature Preserve. 8(4): 267-276.

Ebinger, J. E. Exotic shrubs—a potential problem in natural area management in Illinois. 3(1): 3-6.

Ebinger, J. E., J. Newman, and R. Nyboer. Naturalized winged wahoo in Illinois. 4(2): 26-29.

Eisner, T. Remarks presented before the Senate Subcommittee on Environmental Pollution. 2(3): 31-32.

Emory, B. Guest editorial: Landowner contact. 4(3): 5.

Evanoff, E. and D. W. Kuntz. The Geological Advisory Group—a partnership for managing geologic features on public lands. 7(4): 179-193.

Evans, J. E. Literature review of the management practices for absinth sage (*Artemisia absinthium*). 2(4): 3-9.

A literature review of management practices for multiflora rose (*Rosa multiflora*). 3(1): 6-15.

Literature review of management practices for smooth sumac (*Rhus glabra*), poison ivy (*Rhus radicans*) and other sumac species. 3(1): 16-26.

Japanese honeysuckle (*Lonicera japonica*): a literature review of management practices. 4(2): 4-10.

Canada thistle (*Cirsium arvense*): a literature review of management practices. 4(2): 11-21.

Fahselt, D. The dangers of transplantation as a conservation technique. 8(4): 238-244.

Falk, D. A. Integrated conservation strategies for endangered plants. 7(3): 118-123.

Falk, D. A. and L. R. McMahan. Endangered plant conservation: managing for diversity. 8(2): 91-99.

Fell, G. B. The natural area movement in the United States, its past and its future. 3(4): 47-55.

Fleming, L. M. Letter to editor: Tax check-off for natural area. 3(3): 6-7.

Franklin, J. F. *See under* Spies, T. A. 8(3): 190-201.

Fredrickson, L. H. Book review: Freshwater marshes: ecology and wildlife management. 3(3): 38.

Fremd, T. *See under* Chure, D. J. 7(4): 194-195.

Frenkel, R. E. *See under* Greene, S. E. 5(4): 14-23.

Gaddy, L. L. and T. S. Kohlsaat. Recreational impact on the natural vegetation, avifauna, and herpetofauna of four South Carolina barrier islands. 7(2): 55-64.

Gardner, E. S., Jr. *See under* Pearsall, S. H., III. 5(4): 5-7.

Gawler, S. C. *See under* Menges, E. S. 6(1): 6-17.

Germain, C. Wisconsin's wild resources system. 4(4): 36-41.

Gray, K. L. *See under* Trumbly, J. M. 4(4): 29-35.

Greene, S. Research natural areas and protecting old-growth forests on federal lands in western Oregon and Washington. 8(1): 25-30.

Greene, S. E., R. E. Frenkel, and C. A. Wellner. Pacific northwest natural area program: a successful partnership. 5(4): 14-23.

Guntenspergen, G. The minimum size for nature preserves: evidence from southeastern Wisconsin forests. 3(4): 38-46.

Haas, G. E., E. Hermann, and R. Walsh. Wilderness values. 6(2): 37-43.

Habeck, J. R. Old-growth forests in the northern Rocky Mountains. 8(3): 202-211.

Haig, S. The piping plover. 3(3): 35-37.

Harnish, C. L. *See under* Harty, F. M. 1(2): 11-12.

Harty, F. M. Exotics and their ecological ramifications. 6(4): 20-26.

Harty, F. M., C. L. Harnish, and G. M. Lehman. A partial bibliography of recent literature relevant to the design and management of nature preserves. 1(2): 11-12.

Heidel, B. Leafy spurge—a challenge in natural areas management. 2(2): 10-13.

Heitlinger, M. Plant responses to prairie management: the importance of timing. 1(3): 3-5.

Book review: Buffalo management and marketing. 4(2): 34-35.

Heitlinger, M. and D. Davis. Training opportunities in prescribed fire management. 5(1): 25-30.

Henderson, R. Vegetation-fire ecology of tallgrass prairie. 2(3): 17-26.

Henry, R. D. Letter to editor: Ecological diversity. 2(3): 39-40.

Hermann, E. *See under* Haas, G. E. 6(2): 37-43.

Hess, W. J. *See under* Bowles, M. L. 6(1): 18-26.

Heywood, J. L. *See under* Mullins, G. W. 4(2): 22-25.

Hiebert, R. D. *See under* Bowles, M. L. 6(1): 18-26.

Hilts, S. G. and P. W. McLellan. A landowner contact pilot project in Ontario. 4(3): 22-25.

Hole, F. D. Natural divisions of Wisconsin. 3(2): 51-54.

Hoose, P. M. Features of The Nature Conservancy registry programs. 4(3): 26-28.

Hughes, J. H. *See under* Schoen, J. W. 8(3): 138-145.

Humke, J. W. Guest editorial: Concept of phrase 'natural area.' 2(2): 23.

Hutchison, M. D. Strategies for monitoring natural areas: a discussion of aerial surveillance techniques to view natural areas in southern Illinois. 1(4): 14-18.

A guide to understanding, interpreting, and using the public land survey field notes in Illinois. 8(4): 245-255.

Iffrig, G. F. The Natural Areas Association—a brief history of formation. 1(1): i-1.

Book review: Building an ark: tools for the preservation of natural diversity. 1(4): 22.

See under Skinner, M. 2(4): 10-11.

Iffrig, G. F. and M. L. Bowles. A compendium of ecological and natural subdivisions of the United States. 3(2): 3-11, 62-67.

Irland, L. C. and H. R. Tyler, Jr. Surveying natural areas on Maine's public lands. 2(1): 17-20.

Jackson, M. T. *See under* Dubis, D. 8(4): 267-276.

Jensen, G. L. *See under* Kratz, T. K. 3(2): 33-44.

Jones, S. M. Old-growth forests within the Piedmont of South Carolina. 8(1): 31-37.

Jones, T. Archaeology in a natural area: the case at Landels-Hill Big Creek Reserve. 6(4): 13-19.

Joy, K. R. *See under* Roemer, H. L. 8(3): 146-159.

Juday, G. P. Type needs for ecological reserves in the Forest Service regional plan for Alaska. 1(3): 6-10.

The problem of large mammals in natural area selection: examples from the Alaska ecological reserves system. 3(3): 24-30.

The outcome of research natural areas in national forest planning, 1986. 6(1): 43-53.

Book review: The MacMillan guide to Britain's nature preserves. 6(2): 52-53.

Selecting natural areas for geological features: a rationale and examples from Alaska. 7(4): 137-156.

Old-growth forests and natural areas: an introduction. 8(1): 3-6.

State legislative initiatives on natural areas. 8(2): 107-114.

Karel, J. Community management—forests. 1(4): 7-9.

Guest editorial: Preservation of ecological diversity in wilderness. 4(4): 4-5.

Keith, J. H. Distribution of northern cavefish, *Amblyopsis spelaea* DeKay, in Indiana and Kentucky and recommendations for its protection. 8(2): 69-79.

Killian, R. Selected natural diversity bibliography with annotations. 2(4): 12-27.

Kirchhoff, M. D. *See under* Schoen, J. W. 8(3): 138-145.

Kirchner, B. *See under* Drake, L. 7(2): 79-80.

Kohlsaat, T. S. 'Neighboring state' natural heritage and endangered species program meeting. 6(3): 33-34.

Permanent funding for land acquisition in South Carolina is now a reality. 7(1): 30.

See under Gaddy, L. L. 7(2): 55-64.

Book review: The conservation easement handbook. 8(4): 287-288.

Kratz, T. K. and G. L. Jensen. Minnesota's landscape regions. 3(2): 33-44.

Kuntz, D. W. *See under* Evanoff, E. 7(4): 179-193.

Lehman, G. M. *See under* Harty, F. M. 1(2): 11-12.

Lennartz, M. R. The red-cockaded woodpecker: old-growth species in a second-growth landscape. 8(3): 160-165.

Leopold, D. J., C. Reschke, and D. S. Smith. Old-growth forests of Adirondack Park, New York. 8(3): 166-189.

Lesica, P. A technique for monitoring nonrhizomatous, perennial plant species in permanent belt transects. 7(2): 65-68.

Manheim, B. S. *See under* McMahan, L. R. 5(2): 14-21.

McCance, R., Jr. State income tax refund contribution systems: a mechanism for funding natural areas programs. 2(2): 17-19.

The Ohio endangered plant law: a support program for natural area protection. 2(3): 13-16.

McClain, W. E. *See under* Schwegman, J. E. 5(3): 4-8.

McFall, D. Six years of landowner contact in Illinois. 4(3): 15-21.

McKee, J. M. Profile: Clifford E. Germain. 7(2): 52-54.

McLellan, P. W. *See under* Hilts, S. G. 4(3): 22-25.

McMahan, L. R. *See under* Falk, D. A. 8(2): 91-99.

McMahan, L. R. and B. S. Manheim. A model plant protection act. 5(2): 14-21.

Menges, E. S. Predicting the future of rare plant populations: demographic monitoring and modeling. 6(3): 13-25.

Book review: Conservation biology: the science of scarcity and diversity; and Conservation biology journal. 8(1): 47-48.

Menges, E. S. and S. C. Gawler. Four-year changes in population size of the endemic Furbish's lousewort: implications for endangerment and management. 6(1): 6-17.

Meyer, L. S. Illinois landowner contact program—a personal point-of-view. 2(1): 3-6.

Landowner contact—a new profession for natural area preservation. 4(3): 6-14.

Miller, R. I. *See under* White, P. S. 3(4): 4-13.

Moir, W. H. and J. H. Dieterich. Old-growth ponderosa pine from succession in pine-bunchgrass forests in Arizona and New Mexico. 8(1): 17-24.

Morgan, S. *Lesquerella filiformis:* an endemic mustard. 3(4): 59-62.

Lindera melissifolium: a rare southeastern shrub. 3(4): 62-67.

Morgan, S. and J. H. Wilson. Plant recovery activities at the state level. 2(1): 7-10.

Mott, W. P. Looking beyond national park boundaries. 8(2): 80-82.

Mullins, G. W., J. L. Heywood, and E. C. Olson. Social research inputs into Ohio's natural areas program. 4(2): 22-25.

Nelson, J. R. Rare plant surveys: techniques for impact assessment. 5(3): 18-30.

Newman, J. *See under* Ebinger, J. E. 4(2): 26-29.

Noss, R. F. Different levels of natural areas thinking. 3(3): 8-14.

On characterizing presettlement vegetation: how and why. 5(1): 5-19.

Protecting natural areas in fragmented landscapes. 7(1): 2-13.

Nuzzo, V. A. Extent and status of midwest oak savanna: presettlement and 1985. 6(2): 6-36.

Nyboer, R. *See under* Ebinger, J. E. 4(2): 26-29.

Olson, E. C. Visitor management: assessing visitation in four Ohio state nature preserves. 4(1): 30-35.

See under Mullins, G. W. 4(2): 22-25.

Opler, P. A. Management of prairie habitats for insect conservation. 1(4): 3-6.

Palmer, M. E. A survey of rare plant monitoring: programs, regions, and species priority. 6(1): 27-42.

Panzer, R. Managing prairie remnants for insect conservation. 8(2): 83-90.

Paulson, G. A. (Jerry) The Illinois landowner contact program revisited. 1(1): 2-4.

Perspective: People make the difference. 8(2): 68.

Pearsall, S. Letter to editor: Additions to diversity bibliography. 3(3): 3-6.

Public dedication of nature preserves. 4(1): 11-23.

Pearsall, S. H., III and E. S. Gardner, Jr. *In absentia* benefits in Tennessee. 5(4): 5-7.

Pell, B. The natural divisions of Arkansas: a revised classification and description. 3(2): 12-23.

Peroni, P. A. and W. G. Abrahamson. A rapid method for determining losses of native vegetation. 5(1): 20-24.

Pershall, R. B. Planning for natural area protection in an upper Mississippi River management plan—GREAT III. 1(2): 13-15.

Pojar, J. *See under* Roemer, H. L. 8(3): 146-159.

Pryor, C. The Land Trust Exchange. 6(4): 35-36.

Pustmueller, C. Coordinated natural area efforts between federal and state agencies in Colorado. 2(1): 11-16.

Putnam, C. The development and application of habitat standards for maintaining vertebrate species diversity on a national forest. 8(4): 256-266.

Quinby, P. A. A review of the selection and design of the forested nature reserves in Algonquin Park, Ontario. 6(4): 3-12.

Rabe, F. W. Selection of high mountain lakes as natural areas. 4(1): 24-29.

Reese, G. A. Identification of Missouri prairie communities using aerial photography. 2(2): 14-16.

Reschke, C. *See under* Leopold, D. J. 8(3): 166-189.

Reuter, D. D. Sedge meadows of the upper midwest: a stewardship summary. 6(4): 27-34.

Roemer, H. L., J. Pojar, and K. R. Joy. Protected old-growth forests in coastal British Columbia. 8(3): 146-159.

Sams, C. E. *See under* Apfelbaum, S. I. 7(2): 69-74.

Samson, F. B. Minimum viable populations—a review. 3(3): 15-23.

Schoen, J. W., M. D. Kirchhoff, and J. H. Hughes. Wildlife and old-growth forests in southeastern Alaska. 8(3): 138-145.

Schwarz, L. State natural heritage programs—an overview. 1(4): 10-13.

Schwegman, J. E. Letter to editor: Concept of phrase 'natural area.' 2(3): 40-41.

Letter to editor: Control of Japanese honeysuckle. 4(3): 4.

Schwegman, J. E. and W. E. McClain. Vegetative effects and management implications of a fall prescribed burn on an Illinois hill prairie. 5(3): 4-8.

Scott, D. W. The national wilderness preservation system—its place in natural area protection. 4(4): 6-19.

Sheppard, P. R. and E. R. Cook. Scientific value of trees in old-growth natural areas. 8(1): 7-12.

Skinner, M. and G. F. Iffrig. Boardwalk construction in a Missouri fen—special precautions to protect natural integrity. 2(4): 10-11.

Smith, D. S. *See under* Leopold, D. J. 8(3): 166-189.

Solecki , M. K. The use of size-class analysis as a basis for forest management. 2(2): 3-6.

Somers, P. Recovery planning for a cedar glade endemic, the Tennessee coneflower *Echinacea tennesseensis* (Asteraceae). 3(4): 56-58.

Spicer, R. C. Preserving the geological component of our natural heritage. 7(4): 135-136.

Selecting geological sites for national natural landmark designation. 7(4): 157-178.

Spies, T. A. and J. F. Franklin. Old growth and forest dynamics in the Douglas-fir region of western Oregon and Washington. 8(3): 190-201.

Stankey, G. H. Wilderness preservation activity at the state level—a national review. 4(4): 20-28.

Stolz, J. Profile: Charles A. Wellner. 6(2): 3-5.

Strait, R. A. *See under* Dubis, D. 8(4): 267-276.

Strom, K. J. Protecting critical whooping crane habitat on the Platte River, Nebraska. 5(2): 8-13.

Stubbendieck, J. and G. D. Willson. Prairie resources of national park units in the Great Plains. 7(3): 100-106.

Sutter, R. D. Monitoring rare plant species and natural areas—ensuring the protection of our investment. 6(1): 3-5.

See under Travis, J. 6(3): 3-12.

Taschereau, P. The Canadian approach to natural areas protection. 4(1): 4-10.

Templeton, A. R. Guest editorial: The crisis of partial extinction. 2(3): 35-38.

Thom, R. H. and J. H. Wilson. The natural divisions of Missouri. 3(2): 44-51.

Toland, B. Nest site selection, productivity, and food habits of northern harriers in southwest Missouri. 5(2): 22-27.

Travis, J. and R. D. Sutter. Experimental designs and statistical methods for demographic studies of rare plants. 6(3): 3-12.

Trumbly, J. M. and K. L. Gray. The California wilderness preservation system. 4(4): 29-35.

Tyler, H. R. Recognition versus acquisition approach to natural heritage preservation: Maine's critical areas program. 1(3): 11-12.

See under Irland, L. C. 2(1): 17-20.

Unkel, W. C. Natural diversity and national forest planning. 5(4): 8-13.

Vale, T. R. No romantic landscapes for our national parks? 8(2): 115-117.

Walsh, R. *See under* Haas, G. E. 6(2): 37-43.

Wellner, C. A. *See under* Greene, S. E. 5(4): 14-23.

Whitaker, J. O., Jr. *See under* Dubis, D. 8(4): 267-276.

White, J. Protection of Pine Ridge Cemetery Prairie: a story of persistence and cooperation. 8(2): 100-106.

White, P. S. How do we insure our natural area parks function to preserve species and natural systems? 1(2): 9-10.

Natural disturbance, patch dynamics, and landscape pattern in natural areas. 7(1): 14-22.

White, P. S., R. I. Miller, and S. P. Bratton. Island biogeography and preserve design: preserving the vascular plants of Great Smoky Mountains National Park. 3(4): 4-13.

Whitney, G. G. Some reflections on the value of old-growth forests, scientific and otherwise. 7(3): 92-99.

Wilcove, D. S. From fragmentation to extinction. 7(1): 23-29.

Williams, D. C. and F. Campbell. How the Bureau of Land Management designates and protects areas of critical environmental concern: a status report with a critical review by the Natural Resources Defense Council. 8(4): 231-237.

Willson, G. D. *See under* Stubbendieck, J. 7(3): 100-106.

Wilson, J. H. *See under* Morgan, S. 2(1): 7-10.

See under Thom, R. H. 3(2): 44-51.

Wright, G. The national estuarine reserve research system: a review. 7(2): 75-78.

Subject Index

Absinth sage (*Artemisia absinthium*), 2(4): 3-9
Acres Inc., 6(2): 44-46
Aerial surveys
  Illinois, 1(4): 14-18
  Missouri prairie, 2(2): 14-16
Alabama, state report, 4(4): 43
Alaska
  Forest Service regional plan, 1(3): 6-10
  geologic research natural areas, 7(4): 137-156
  natural area design, 3(3): 24-30
  old-growth wildlife, 8(3): 138-145
  state reports, 1(3): 15, 3(2): 54-55, 6(2): 47
  wilderness program, 4(4): 20-28
Alberta, province report, 8(1): 38
Algonquin Park, Ontario, 6(4): 3-12
Amblyopsis spelaea, see Cavefish, northern
Amphibians, see Reptiles and amphibians
Archaeology, 6(4): 13-19
Areas of critical environmental concern, selection of, 8(4): 231-237
Arizona
  cover illus., Saguaro National Monument, 5(3)
  Escudilla Mt. RNA, 7(3): 107-117
  natural areas program, 1(3): 13-14
  old-growth ponderosa pine forests, 8(1): 17-24
  state reports, 1(4): 19, 8(4): 278-279
Arkansas
  hunting policies, 1(1): 5-9
  natural areas workshop 1981, 1(3): 19
  natural divisions, 3(2): 12-23
  nature preserve legislation, 4(1): 11-23
  state reports, 1(2): 17, 3(1): 32, 7(3): 124-125, 8(1): 38-39
Artemisia absinthium, see Absinth sage
Artwork, see Illustrations
Astragalus tennesseensis, propagation, 8(2): 121-122
Avifauna, see Birds

Barrier islands, human impact on native species, 7(2): 55-64
Bibliographies
  natural diversity, 2(4): 12-27, 3(3): 3-6
  nature preserves design and management, 1(2): 11-12
Biogeography, theme issues, 3(3), 3(4)
Birds, 3(3): 35-37, 5(2): 22-27
  effects of human disturbance on, 7(2): 55-64
Black-tailed deer, cover illus., 8(3)
Bog, cover illus., 8(4)
Book reviews
  buffalo management and marketing, 4(2): 34-35
  building an ark: tools for preservation of natural diversity through land protection, 1(4): 22
  conservation biology journal, 8(1): 47-48
  conservation biology: science of scarcity and diversity, 8(1): 47
  conservation easement handbook, 8(4): 287-288
  freshwater marshes: ecology and wildlife management, 3(3): 38
  MacMillan guide to Britain's nature preserves, 6(2): 52-53
  natural heritage: classification, inventory, and information, 2(4): 30-32
British Columbia
  coastal old growth, 8(3): 146-159
  province reports, 1(2): 16, 3(3): 39
Buckthorn, glossy (*Rhamnus frangula*), fire effects on, 8(2): 120-121
Bureau of Land Management, 4(4): 43-48, 7(4): 179-193, 8(4): 231-237
Burning, see Fire

California
  insect conservation, 5(2): 28-39
  Landels-Hill Big Creek Reserve, 6(4): 13-19
  legislative report, 4(3): 30
  state reports, 1(2): 18, 2(3): 27, 7(2): 81, 8(1): 39-40
  wilderness system, 4(4): 20-28, 4(4): 29-35

Canada, see also individual province listings
  Canadian Council on Ecological Areas, 7(4): i
  Machias Seal Island workshop, 4(1): 42-43
  natural areas protection, 4(1): 4-10
  Ontario landowner contact pilot program, 4(3): 22-25
  The Nature Conservancy report, 1(4): 20-21
Canada thistle (*Cirsium arvense*), 4(2): 11-21
Canary grass, reed (*Phalaris arundinacea* L.), 7(2): 69-74
Cattail (*Typha* spp.), 5(3): 9-17
Cavefish, northern (*Amblyopsis spelaea*), 8(2): 69-79
Charadrius melodus, see Piping plover
Circus cyaneus, see Harriers, northern
Cirsium arvense, see Canada thistle
Classification systems, geologic, 7(4): 157-178
Coastal Zone Management Act, 7(2): 75-78
Colorado
  federal-state cooperation, 2(1): 11-16
  Geological Advisory Group, 7(4): 179-193
  state reports, 1(3): 15-16, 5(4): 26, 7(1): 30-31
  wilderness values public survey, 6(2): 37-43
Commission on Americans Outdoors, 5(4): 24-25
Community management
  forests, 1(4): 7-9
  prairies, 1(3): 3-5, 1(4): 3-6
  sedge meadows, 6(4): 27-34
Connecticut, state reports, 6(1): 59, 7(4): 196, 8(2): 123
Conservation networks, 5(1): 5-19, 7(3): i
  Florida, 7(1): 2-13
  Ohio, 7(1): 2-13
Cooperative natural area programs, 2(1): 11-16, 5(4): 14-23, 7(2): 75-78, 7(2): 79-80, 7(4): 179-193
Cypripedium candidum, see Lady's-slipper, small white

Dakota skipper (*Hesperia dacotae*), 3(3): 31-34
Delaware
nature preserves legislation, 4(1): 11–23
state reports, 2(4): 28-29, 3(1): 33, 6(1): 59, 7(1): 31, 8(4): 279
tax check-off system, 3(3): 6-7
Dendrochronology, 8(1): 7-12
Deserts, cover illus., Saguaro National Monument, 5(3)
Design of nature preserves, see Nature preserves, design
Directories
natural heritage programs, 3(2): 57-60
rare plant monitoring, 6(1): 54-58
Disturbances, human, see also Fire
impact on maritime forests, 7(2): 55-64
presettlement effects, 5(1): 5-19
Disturbances, natural
fire, 7(1): 14-22
insects, 7(1): 14-22
Diversity, see Natural diversity

Echinacea tennesseensis, see Tennessee coneflower
Editorials, guest
endangered species act (M. Bean), 5(2): 6
endangered species act reauthorization (F. Campbell), 1(4): 23, 5(2): 7
extinction (A. Templeton), 2(3): 35-38
landowner contact (B. Emory), 4(3): 5
natural area concept (J. Humke), 2(2): 23
responses, R. D. Henry, 2(3): 39-40, J. Schwegman, 2(3): 40-41
people make the difference (J. Paulson), 8(2): 68
wilderness preservation (J. Karel), 4(4): 4-5
Endangered species, see Rare and endangered species
Endangered Species Act, 1(4): 23, 2(1): 25, 2(3): 30-35, 5(2): 6, 5(2): 7
publication of Endangered Species UPDATE, 8(2): 135
Errata
Pacific Northwest natural area program, 6(1): 2
Platanthera leucophaea distribution, 5(2): 4
Tennessee hunting policies, 1(2): i
Estuaries, 7(2): 75-78
Euonymus alatus, see Winged wahoo
Euphorbia esula, see Leafy spurge
Everglades-Big Cypress Swamp, Florida, cover illus., 7(1)
Exotic species
absinth sage (*Artemisia absinthium*), 2(4): 3-9
Canada thistle (*Cirsium arvense*), 4(2): 11-21
cover illus., 4(1)
defined, 2(3): 3-13
glossy buckthorn, effect of fire, 8(2): 120-121
Great Smoky Mountains National Park, 2(3): 10-13
impact of, 2(3): 3-13, 2(3): 39-40, 6(4): 20-26, 7(1): 14-22, 7(2): 69-74
Indiana Dunes, plant ranking system, 8(2): 121
Japanese honeysuckle (*Lonicera japonica*), 4(2): 4-10, 4(3): 4
leafy spurge (*Euphorbia esula*), 2(2): 10-13
multiflora rose (*Rosa multiflora*), 3(1): 6-15
plant ranking system, Indiana Dunes, 8(2): 121
reed canary grass, 7(2): 69-74
shrubs, 3(1): 3-6
theme issues, 3(1), 4(2)
winged wahoo (*Euonymus alatus*), 4(2): 26-29
Extinction, 2(3): 35-38, 3(3): 15-23
causes of, 7(1): 23-29

Fens
boardwalk construction, 2(4): 10-11
management, 8(3): 212
Fire
absinth sage control, 2(4): 3-9
cattail control, 5(3): 9-17
effect on leafy spurge, 2(2): 10-13
fall prescribed burn, 5(3): 4-8
glossy buckthorn, effects on, 8(2): 120-121
insects, prairie, effects on, 8(2): 83-90
Japanese honeysuckle control, 4(2): 4-10
mammals, prairie, effects on, 8(4): 267-276
management of tallgrass prairie, 2(3): 17-26
multiflora rose control, 3(1): 6-15
old-growth forests, 8(1): 17-24
policy, 8(4): i
reed canary grass control, 7(2): 69-74
sumac control, 3(1): 16-26
training opportunities, 5(1): 25-30
Fish, northern cavefish, 8(2): 69-79
Florida
conservation networks and macro-reserves, 7(1): 2-13
cover illus., panther (*Felis concolor coryi*), 7(1)
legislative report, 4(3): 29-30
loss of native vegetation, 5(1): 20-24
state reports, 2(2): 20, 6(2): 47-48, 7(1): 31-32, 8(1): 40-41
wilderness program, 4(4): 20-28
Forest Service, see U.S. Forest Service
Forests, see also Maritime forest, National forests, Old-growth forests
management, 1(4): 7-9, 2(2): 3-6
ponderosa pine succession, 8(1): 17-24
Fossil resources
Alaska, 7(4): 137-156
Colorado, 7(4): 179-193
management of, 7(4): 194-195
National Natural Landmark Program, 7(4): 157-178
national park system, 7(4): 194-195
Fragmentation, see Habitat fragmentation
Funding strategies, 2(2): 17-19, 3(3): 6-7, 7(1): 30, 8(2): 107-114
see also Taxes
Furbish's lousewort (*Pedicularis furbishiae*), 6(1): 6-17

Geological Advisory Group, Colorado, 7(4): 179-193
Geological features
Alaska, 7(4): 137-156
classification schemes, 7(4): 157-178
Colorado, 7(4): 179-193

cover illus., cave structure, 7(4)
National Natural Landmark Program, 7(4): 157-178
Georgia
cover illus., Wassaw National Wildlife Refuge, 7(2)
state reports, 7(4): 196, 8(2): 123-124
Germain, Clifford E., profile, 7(2): 52-54
Ginseng, Indiana program, 2(2): 7-9
Grasslands, see also Prairies
montane (Arizona), 7(3): 107-117
Great Smoky Mountains National Park
exotic species impact, 2(3): 10-13
monitoring program, 1(2): 9-10
patch dynamics, 7(1): 14-22
preserve design, 3(4): 4-13
Grus americana, see Whooping crane

Habitat fragmentation, 3(3): 8-14, 3(4): 4-13, 7(1): i, 7(1): 2-13, 7(1): 23-29
Harrier, northern (*Circus cyaneus*), 5(2): 22-27
Hawaii, state report, 8(2): 125
Herbicide
absinth sage control, 2(4): 3-9
Canada thistle control, 4(2): 11-21
cattail control, 5(3): 9-17
Japanese honeysuckle control, 4(2): 4-10
multiflora rose control, 3(1): 6-15
reed canary grass control, 7(2): 69-74
rules of use, 8(4): 277-278
sumac species control, 3(1): 16-26
Heritage programs, see Natural heritage programs
Hesperia dacotae, see Dakota skipper
Holcomb Research Institute, 7(2): 51
Hunting policies, 1(1): 5-9, 1(2): 2

Idaho
high mountain lakes as natural areas, 4(1): 24-29
Pacific Northwest natural area program, 5(4): 14-23
state reports, 2(2): 20-21, 6(2): 48, 7(4): 197, 8(2): 125-126
Identification of natural areas, see Inventories
Illinois
aerial surveys, 1(4): 14-18
exotic plant policy, 6(4): 20-26
exotic shrub management, 3(1): 3-6
hunting policies, 1(1): 5-9
landowner contact program, 1(1): 2-4, 2(1): 3-6, 4(3): 6-14, 4(3): 15-21
natural areas conference 1987, 6(4): 42, 7(1): 38, 8(1): 54-56
nature preserves legislation, 4(1): 11-23
oak savanna distribution, 6(2): 6-36
prairie, prescribed burn, 5(3): 4-8
state reports, 1(2): 18, 3(1): 33, 5(2): 40, 6(2): 49-50, 7(2): 81-82, 8(1): 41-43
use of public land survey notes, 8(4): 245-255
winged wahoo, naturalized, 4(2): 26-29
Illustrations (cover)
Canadian bog, 8(4)
cave, Meramec State Park, Missouri, 7(4)
Charons Garden Wilderness Area, Wichita Mountains, 4(1)
exotic species, 4(2)
Florida panther, 7(1)
Georgia, Wassaw National Wildlife Refuge, 7(2)
Helen Allison Savanna, Minnesota, 6(2)
landowner contact, 4(3)
monitoring, plants, 6(1)
Mt. Katahdin, Maine, 4(4)
Nellie cory cactus (*Coryphantha minima*), 6(3)
New Zealand, Mount Cook National Park, 6(4)
owls, northern spotted (*Strix occidentalis*), 8(1)
prairie invertebrates, 8(2)
prairie white-fringed orchid, 6(1)
Rialto Beach, Olympic National Park, 5(4)
river otter (*Lutra canadensis*), 7(3)
Saguaro National Monument, Arizona, 5(3)
Sitka black-tailed deer, 8(3)
Turkey Pen Hollow Savanna, Missouri, 5(1)
woodpecker, ivory-billed (*Campephilus principalis*), 5(2)
In absentia benefits, Tennessee, 5(4): 5-7
Indiana
Acres Inc., 6(2): 44-46
Dunes, plant inventory and monitoring, 6(1): 18-26
ginseng program, 2(2): 7-9
hunting policies, 1(1): 5-9
natural area program funding, 8(2): 107-114
nature preserves legislation, 4(1): 11-23
northern cavefish status, 8(2): 69-79
oak savanna distribution, 6(2): 6-36
state reports, 1(2): 16, 3(2): 55-56, 5(1): 31-32, 6(2): 50, 7(4): 197-198, 8(2): 126-127
Insects
conservation programs for endangered, 5(2): 28-39
cover illus., prairie, 8(2)
Dakota skipper, 3(3): 31-34
Great Smoky Mtn. National Park, 7(1): 14-22
prairie habitat management, 1(4): 3-6, 8(2): 83-90
Interpretation/education, 4(2): 22-25
Interviews, 6(2): 3-5, 7(2): 52-54
Introduced species, see Exotic species
Inventories
endangered plants, Indiana Dunes, 6(1): 18-26
lakes, 4(1): 24-29
loss of native vegetation, 5(1): 20-24
Maine public lands, 2(1): 17-20
montane grasslands, 7(3): 107-117
nature reserves, Ontario, 6(4): 3-12
old growth
Adirondack Park, 8(3): 166-189
British Columbia, 8(3): 146-159
Piedmont, 8(1): 31-37
plant collection guidelines, 6(3): 31-32
prairie, techniques, 8(2): 118-119
prairies, 2(2): 14-16, 7(2): 79-80, 7(3): 100-106
public land survey notes, use of, 8(4): 245-255
Iowa
hunting policies, 1(1): 5-9
nature preserves legislation, 4(1): 11-23
oak savanna distribution, 6(2): 6-36
roadside spraying program, 7(2): 79-80

state reports, 2(1): 21, 7(1): 32-33, 8(3): 213-214
Island biogeography, 3(4): 4-13
Ivory-billed woodpecker (*Campephilus principalis*), cover illus., 5(2)

Japanese honeysuckle (*Lonicera japonica*), 4(2): 4-10, 4(3): 4

Kansas
nature preserves legislation, 4(1): 11-23
state reports, 6(1): 59-60, 7(1): 33, 8(4): 279-280
Kentucky
hunting policies, 1(1): 5-9
natural areas conference 1983, 3(1): 35
nature preserve legislation, 4(1): 11-23
northern cavefish status, 8(2): 69-79
state reports, 1(4): 19-20, 3(1): 34, 5(3): 31-32, 7(1): 33-34, 8(3): 214-215

Lady's-slipper, small white (*Cypripedium candidum*), 3(4): 14-37
Lakes, 4(1): 24-29
Land Trust Exchange, 6(4): 35-36
Landforms, see Geological features
Landowner contact
Arizona natural areas program, 1(3): 13-14
cover illus., 4(3)
editorial (B. Emory), 4(3): 5
Illinois, 1(1): 2-4, 2(1): 3-6, 4(3): 6-14, 4(3): 15-21
Maine critical areas program, 1(3): 11-12
Ontario, 4(3): 22-25, 8(2): 120
Pine Ridge cemetery prairie, 8(2): 100-106
profession, 4(3): 6-14
The Nature Conservancy's programs, 4(3): 26-28
theme issue, 4(3)
Landscape ecology, theme issue, 7(1)
Leafy spurge (*Euphorbia esula*), 2(2): 10-13
Legislation, see also Taxes
exotic species, 6(4): 20-26
federal and state update, 4(2): 35
federal tax law, 1(3): 18
nature preserve acts, 4(1): 11-23
Ohio endangered plant law, 2(3): 13-16
plant protection act, model, 5(2): 14-21
proposed preserve dedication act, 4(1): 11-23
state income tax funding program, 2(2): 17-19
state program funding, 8(2): 107-114
wilderness act, 4(4): 6-19
Lesquerella filiformis, 3(4): 59-62
Lindera melissifolium, see Southern spicebush
Lonicera japonica, see Japanese honeysuckle
Loosestrife
roughleaf (*Lysimachia asperulaefolia*), 6(1): 3-5
Louisiana, state reports, 6(2): 51, 7(3): 125, 8(3): 215-216
Lysimachia asperulaefolia, see Loosestrife

Macro-reserves, see Conservation networks
Maine
cover illus., Mt. Katahdin, 4(4)
Critical Areas Program, 1(3): 11-12
estuarine research reserve sites, 7(2): 75-78
public lands inventory, 2(1): 17-20
state reports, 6(3): 35, 7(2): 82-83, 8(1): 43
Management of natural areas, see also Exotic species, Fire, Herbicides, Mowing/cutting, Rare and endangered species, Visitor use management
cattails, 5(3): 9-17
forests, 1(4): 3-6, 2(2): 3-6
fossil resources, 7(4): 194-195
geological features, Colorado public lands, 7(4): 179-193
prairies, 1(3): 3-5, 1(4): 3-6, 2(3): 17-26
rivers, 1(2): 11-12
sedge meadows, 6(4): 27-34
sumac species, 3(1): 16-26
Manitoba, province report, 8(2): 127
Maritime forest, 7(2): 55-64
Maryland
state reports, 6(4): 38, 7(4): 198-199
wilderness program, 4(4): 20-28
Massachusetts, state reports, 4(4): 42-43, 8(4): 280-281
Michigan
hunting policies, 1(1): 5-9
legislative reports, 4(3): 29
natural areas conference 1984, 4(1): 44-46, 4(2): 36-38
oak savanna distribution, 6(2): 6-36
selected natural areas, 4(1): 44-46
state reports, 1(1): 12, 5(4): 25-26, 6(4): 38-39, 7(3): 125-126, 8(2): 127-128
wilderness program, 4(4): 20-28
Minimum viable populations, 3(3): 15-23, 7(3): 90
Minnesota
cover illus., Helen Allison Savanna, 6(2)
hunting policies, 1(1): 5-9
landscape regions, 3(2): 33-44
oak savanna distribution, 6(2): 6-36
state reports, 1(2): 16, 6(3): 35-36, 7(2): 83-84, 8(3): 216-217
wilderness program, 4(4): 20-28
Mississippi
nature preserves legislation, 4(1): 11-23
state reports, 6(4): 39, 7(3): 126, 8(4): 281-282
Mississippi River, GREAT III management plan, 1(2): 13-15
Missouri
boardwalk construction through fen, 2(4): 10-11
cover illustrations
cave, Meramec State Park, 7(4)
Turkey Pen Hollow, 5(1)
hunting policies, 1(1): 5-9
legislative report, 4(2): 35
natural areas conference
1978, 1(1): i-1
1986, 6(1): 62-63
natural divisions, 3(2): 44-51
northern harrier (*Circus cyaneus*), 5(2): 22-27
oak savanna distribution, 6(2): 6-36

prairie identification, 2(2): 14-16
species diversity, national forest, 8(4): 256-266
state reports, 1(2): 17, 2(1): 21, 5(1): 32-33, 7(3): 127-128, 8(3): 217-218
wilderness program, 4(4): 20-28
Monitoring (animals)
standard measurements, 1(2): 3-8
Monitoring (communities)
aerial surveys, 1(4): 14-18
forest management, 2(2): 3-6
Great Smoky Mountains National Park, 1(2): 9-10
standard measurements, 1(2): 3-8
Monitoring (plants)
demographic studies
design and analysis, 6(3): 3-12
modeling, 6(3): 13-25
Furbish's lousewort, 6(1): 6-17
importance of, 6(1): 3-5
Indiana Dunes National Lakeshore, 6(1): 18-26
network, directory and questionnaire, 6(1): 54-58
project design, 6(3): 26-30
rare plant conservation, 8(2): 91-99, 8(4): 238-244
standard measurements, 1(2): 3-8
survey of programs, 6(1): 27-42
techniques and equipment, 6(1): 64-69, 7(2): 65-68, 7(3): 107-117
theme issues, 6(1), 6(3)
Montana, state reports, 7(2): 84-85, 8(4): 282
Montane grasslands, see Grasslands
Mowing/cutting
cattail control, 5(3): 9-17
Japanese honeysuckle control, 4(2): 4-10
sumac species control, 3(1): 16-26
Multiflora rose (*Rosa multiflora*), 3(1): 6-15

National Estuarine Reserve Research System, 7(2): 75-78
National forests
ecological reserve selection, Alaska, 1(3): 6-10
federal management act, 1976, 5(4): 8-13
old growth, Rocky Mtns., 8(3): 202-211
Pacific Northwest old growth logging, 8(1): 13-16
planning for natural diversity, 5(4): 4, 5(4): 8-13
research natural area review, 6(1): 43-53
RNA inventory
montane grassland, 7(3): 107-117
old growth, 8(1): 25-30
species diversity standards, 8(4): 256-266
National Natural Landmark Program, 7(4): 157-178
National Park Service, 8(2): 80-82
fossil resources, 7(4): 194-195
National Natural Landmark Program, 7(4): 157-178
park selection, 8(2): 115-117
prairie resources, 7(3): 100-106
National parks
community monitoring, 1(2): 9-10
Great Smoky Mountains, 1(2): 9-10, 3(4): 4-13
management of, 8(2): 80-82
role of preserving ecosystems, 8(2): 115-117
Natural areas
archaeology, 6(4): 13-19
Canadian, 4(1): 4-10, 6(4): 3-12
defined, 1(4): 7, 2(2): 23, 2(3): 40-41, 5(1): 4
history of movement in U.S., 3(4): 47-55
lakes, 4(1): 24-29
private organizations, 6(2): 44-46, 6(4): 35-36, 7(2): 79-80, 8(2): 91-99
profession, 5(1): 4, 6(2): i, 8(2): i, 8(3): i
research goals, 3(1): 27-32
role in endangered species, 5(2): 4-5
Natural Areas Association
board of directors 1987 spring meeting, 7(3): 91
growth and funding, 8(1): i
history, 1(1): i-1, 5(1): 4
management committee, 8(1): 53
membership donation campaign, 6(4): i, 7(4): 134, 8(2): 66-67
membership lists, 1(1): 10-11, 2(1): 23-25, 3(1): 36-39, 4(1): 36-40, 5(1): 37-42, 6(1): 69-75, 7(1): 40-47, 8(1): 56-63
membership statistics by state, 8(2): 135-136
president's letters
Grimmett, Harold K., vols. 2, 3
Juday, Glenn Patrick, 5(4) through 8(4)
McCance, Bob, 4(1) through 5(3)
Schwegman, John E., vol. 1
Natural areas conferences and workshops
1974-1981, sites and history, 1(1): i-1
1974-1985, sites, 4(2): 38
1981 Arkansas, 1(3): 19
1982 Wisconsin, 2(1): 26
1983 Kentucky, 3(1): 35
1984 Michigan, 4(2): 36-38
1985 "neighboring state" meeting, North Carolina, 6(3): 33-34
1985 Ohio, 5(1): 35, 5(2): 43-48, 5(3): 34, 5(4): 24
1986 Missouri, 6(1): 62-63
1987 Illinois, 6(4): 42, 7(1): 38, 8(1): 54-56
1988 New York, 7(3): 131, 7(4): 203-204, 8(1): 50-51
Natural Areas Journal
cover illustrations, 6(4): 2
editor's comments, 2(1): 27
Holcomb Research Institute, 7(2): 51
indexes, 4(4): 49-54, 5(4): 28-29, 7(4): 201-203, 8(4): 289-292
reviewers, 5(4): 29, 6(4): 42, 7(4): 201, 8(4): 288-289
survey of readers, 3(2): 3
Natural disturbances, see Disturbances, natural
Natural diversity, 7(2): i
bibliography, 2(4): 12-27, 3(3): 3-6
national forest planning, 1(3): 6-10, 5(4): 8-13, 8(4): 255-266
regional management, 3(3): 8-14
role of national parks, 8(2): 115-117
Natural divisions
Arkansas, 3(2): 12-23
compendium, 3(2): 3-11, 62-67
Minnesota, 3(2): 33-44
Missouri, 3(2): 44-51
Ohio, 3(2): 23-33
theme issue, 3(2)
Wisconsin, 3(2): 51-54
Natural heritage programs
directory, 3(2): 57-60
"neighboring state" meeting, North Carolina, 6(3): 33-34
TNC overview, 1(4): 10-13

Nature Conservancy, see The Nature Conservancy
Nature preserves, see also Management of natural areas
design, 1(4): 3-6, 3(3): 8-14, 3(3): 24-30, 3(4): 4-13, 3(4): 38-46, 5(1): 5-19, 6(4): 3-12, 7(1): 2-13, 7(1): 14-22, 7(1): 23-29
hunting policies, 1(1): 5-9, 1(2): 2
legislation, 4(1): 11-23
RNA selection, 7(3): 107-117, 7(4): 137-156, 7(4): 179-193
visitor use, 4(1): 30-35
Nebraska, whooping crane habitat, 5(2): 8-13
Nellie cory cactus (*Coryphantha minima*), cover illus., 6(3)
Nevada, state reports, 2(2): 21, 8(2): 128-129
New England natural areas workshop 1983, 1(3): 18, 4(1): 41-42
New Hampshire, state reports, 2(3): 28, 7(1): 35, 8(2): 129
New Jersey, state reports, 4(3): 32-33, 6(3): 36-37, 7(2): 85, 8(3): 218-219
New Mexico
old-growth ponderosa pine forest, 8(1): 17-24
state report, 2(4): 29-30
New York
Adirondack old growth, 8(3): 166-189
natural areas conference 1988, 7(3): 131, 7(4): 203-204, 8(1): 50-51
state report, 8(2): 130
wilderness program, 4(4): 20-28
New Zealand, Mount Cook National Park, cover illus., 6(4)
North Carolina
legislative report, 4(2): 35
"neighboring state" meeting, 6(3): 33-34
state reports, 2(3): 28-29, 5(2): 40-41, 6(3): 37, 7(3): 128-129, 8(4): 282-284
North Dakota
nature preserves legislation, 4(1): 11-23
state reports, 4(3): 31, 5(3): 32-33, 6(1): 60, 7(4): 199, 8(4): 284-285
Northern harrier, see Harrier, northern
Ohio
conservation networks and macro-reserves, 7(1): 2-13
endangered plant law, 2(3): 13-16
estuarine research reserve sites, 7(2): 75-78
hunting policies, 1(1): 5-9
natural areas conference 1985, 5(1): 35, 5(2): 43-48, 5(3): 34, 5(4): 24
natural divisions, 3(2): 23-33
nature preserves legislation, 4(1): 11-23
oak savanna distribution, 6(2): 6-36
selected nature preserves, 5(2): 44-48
state reports, 2(1): 21-22, 3(3): 39, 5(1): 34, 6(3): 37-38, 7(1): 35-36, 8(4): 285-286
visitor management on nature preserves, 4(1): 30-35, 4(2): 22-25
Oklahoma
cover illus., Charons Garden Wilderness Area, 4(1)
state report, 1(4): 20
Old-growth forests
Adirondack Park, New York, 8(3): 166-189
British Columbia, coastal, 8(3): 146-159
cover illus., 8(1), 8(3)
definition, 8(1): 25-30, 8(3): 190-201, 8(3): 202-211
dendrochronology, 8(1): 7-12
function, 8(3): 190-201
future problems, 8(1): 3-6
Pacific Northwest
dynamics, 8(3): 190-201
logging, 8(1): 13-16
RNA's, 8(1): 25-30
ponderosa pine succession, 8(1): 17-24
Rocky Mtns., 8(3): 202-211
South Carolina piedmont, 8(1): 31-37
structure, 8(3): 190-201
theme issue, 8(1), 8(3)
value of, 7(3): 92-99
wildlife, 8(3): 138-145, 8(3): 160-165
Ontario
landowner contact project, 4(3): 22-25
natural heritage stewardship program, 8(2): 120
selection of nature reserves, 6(4): 3-12
Orchids, 3(4): 14-37
Oregon
estuarine research reserve sites, 7(2): 75-78
nature preserve legislation, 4(1): 11-23
Pacific Northwest natural area program, 5(4): 14-23
state report, 4(4): 42
Pacific Northwest
cooperative program, 5(4): 14-23
logging of old growth, 8(1): 13-16
old growth
dynamics, 8(3): 190-201
RNA inventory, 8(1): 25-30
Park Service, see National Park Service
Patch dynamics, 7(1): 14-22
Pedicularis furbishiae, see Furbish's lousewort
Pennsylvania, state reports, 4(3): 31-32, 6(4): 39-40, 7(4): 199-200, 8(1): 43-44
Phalaris arundinacea, see Canary grass, reed
Picoides borealis, see Red-cockaded woodpecker
Piping plover (*Charadrius melodus*), 3(3): 35-37
Plantago cordata, see Plantain, heart-leaved
Plantain, heart-leaved (*Plantago cordata*), restoration, 8(2): 122-123
Platanthera leucophaea, see Prairie white-fringed orchid
Poison ivy (*Rhus radicans*), 3(1): 16-26
Pondberry, see Southern spicebush
Prairie white-fringed orchid (*Platanthera leucophaea*), 3(4): 14-37, 5(2): 4, cover illus., 6(1)
Prairies
aerial identification, 2(2): 14-16
cover illus., insects, 8(2)
fire
ecology, 2(3): 17-26
effect of, 8(4): 267-276
insect conservation, 1(4): 3-6, 8(2): 83-90
inventory methods, 8(2): 118-119

plant management, 1(3): 3-5
prescribed burns, 5(3): 4-8
preservation techniques, 4(3): 6-14, 8(2): 100-106
survey of National Park Service units, 7(3): 100-106
tallgrass orchids, 3(4): 14-37
Preserves, see Nature preserves
Presettlement conditions (vegetation)
characterizing, 5(1): 5-19
loss assessment, 5(1): 20-24
savanna, midwest, 6(2): 6-36
use of land survey notes, 8(4): 245-255
Prince Edward Island, province report, 8(2): 130-131

Quebec, province reports, 4(2): 31, 8(2): 131-132

Rare and endangered species
aquatic species, threats and protection, 8(2): 69-79
Astragalus tennesseensis, propagation, 8(2): 121-122
cavefish, northern (*Amblyopsis spelaea*), 8(2): 69-79
cover illus., ivory-billed woodpecker, 5(2)
Dakota skipper (*Hesperia dacotae*), 3(3): 31-34
demographic studies (plants), 6(3): 3-12, 6(3): 13-25
editorial (F. Campbell), 1(4): 23
extinction crisis, 2(3): 35-38
Furbish's lousewort (*Pedicularis furbishiae*), 6(1): 6-17
harriers, northern (*Circus cyaneus*), 5(2): 22-27
heart-leaved plantain, restoration, 8(2): 122-123
Indiana Dunes plant inventory, 6(1): 18-26
insects, California, 5(2): 28-39
lady's-slipper, small white (*Cypripedium candidum*), 3(4): 14-37
Lepidoptera in prairie habitats, 1(4): 3-6
Lesquerella filiformis, 3(4): 59-62
natural areas' role in, 5(2): 4-5
Ohio plant law, 2(3): 13-16
piping plover (*Charadrius melodus*), 3(3): 35-37
plant collection guidelines, 6(3): 31-32
plant law, model, 5(2): 14-21
plant monitoring, see Monitoring (plants)
plant recovery, 2(1): 7-10
plant restoration programs, 7(3): 118-123, 8(2): 91-99, 8(2): 121-122, 8(4): 238-244
plant surveys, 5(3): 18-30
population size, 3(3): 15-23
prairie white-fringed orchid (*Platanthera leucophaea*), 3(4): 14-37
red-cockaded woodpecker, 8(3): 160-165
role of offsite plant protection programs, 7(3): 118-123
roughleaf loosestrife, 6(1): 3-5
southern spicebush or pondberry (*Lindera melissifolium*), 3(4): 62-67
special supplement, 2(3): 30-35
Tennessee coneflower (*Echinacea tennesseensis*), 3(4): 56-58
theme issue, 5(2)
whooping crane (*Grus americana*), 5(2): 8-13
Recreation, on nature preserves, 5(4): 5-7
Red-cockaded woodpecker (*Picoides borealis*), 8(3): 160-165
Reed canary grass, see Canary grass
Registration of natural areas, see Landowner contact
Reptiles and amphibians, effects of human disturbance on, 7(2): 55-64
Research natural areas
Forest Service review, 6(1): 43-53
Pacific Northwest, 5(4): 14-23
old growth, 8(1): 25-30
Restoration and Management Notes, 1(1): 12
Rhode Island, state reports, 5(1): 34-35, 8(2): 132-133
Rhus spp., see Poison Ivy, see Sumac
River otter (*Lutra canadensis*), cover illus., 7(3)
Roads
effects of construction and maintenance, 7(2): 55-64, 7(2): 79-80
effect on faunal populations, 7(1): 2-13, 7(2): 55-64
effect on floral populations, 7(2): 55-64
Rosa multiflora, see Multiflora rose
Roughleaf loosestrife (*Lysimachia asperulaefolia*), 6(1): 3-5

Savanna
cover illus.
Minnesota, 6(2)
Missouri, 5(1)
midwest oak, presettlement—1985, 6(2): 6-36
Sedge meadows, 6(4): 27-34
South Carolina
barrier islands, 7(2): 55-64
nature preserve legislation, 4(1): 11-23
old-growth forests, 8(1): 31-37
state reports, 2(1): 22, 7(2): 86-87, 8(1): 44-45
South Dakota, state report, 7(3): 129-130
Southeast Heritage Workshop, 1984, 4(2): 32-33
Southern spicebush (*Lindera melissifolia*), 3(4): 62-67
Spotted owl, northern (*Strix occidentalis*), cover illus., 8(1)
Steward's Circle
announced as feature of journal, 8(1): 54
Astragalus tennesseensis, propagation, 8(2): 121-122
exotic plant species ranking system, Indiana Dunes, 8(2): 121
fen management, 8(3): 212
fire effects on glossy buckthorn, 8(2): 120-121
heart-leaved plantain restoration, 8(2): 122-123
herbicides, rules for use, 8(4): 277-278
Ontario natural heritage stewardship program, 8(2): 120
visitor use management, 8(3): 212-213
Stewardship
defined, 8(1): 2
TNC manual, 1(1): 12

Stream management, GREAT III, 1(2): 13-15
Strix occidentalis, see Spotted owl, northern
Succession, ponderosa pine old growth, 8(1): 17-24
Sumac (*Rhus* spp., *Rhus glabra, Rhus radicans*), 3(1): 16-26
Surveys, see also Inventories
  endangered plant recovery programs, 2(1): 7-10
  rare plant programs, 6(1): 27-42
  rare plants, 5(3): 18-30
  recreation, Tennessee, 5(4): 5-7
  visitor use, 4(1): 30-35
  wilderness values, 6(2): 37-43

Taxes
  federal benefits for donated lands, 1(3): 18
  to fund natural area programs, 2(2): 17-19, 3(3): 6-7, 7(1): 30
Tennessee
  hunting policies, 1(1): 5-9, 1(2): i
  natural area recreation, 5(4): 5-7
  state reports, 3(4): 67-68, 5(2): 41-42, 6(4): 40, 7(2): 87, 8(4): 286-287
Tennessee coneflower (*Echinacea tennesseensis*), 3(4): 56-58
Tennessee Valley Authority, 7(3): 129
Texas
  legislative report, 4(2): 36
  state reports, 4(2): 31-32, 7(2): 87, 8(3): 219-220
The Nature Conservancy
  Canada, 4(1): 4-10
  registry programs, 4(3): 26-28
  state natural heritage programs overview, 1(4): 10-13
  stewardship manual, 1(1): 12
Transplantation, rare plants, 8(4): 238-244
Tree-ring analysis, 8(1): 7-12
Typha spp., see Cattail

U.S. Forest Service
  Alaska research natural areas, 7(4): 137-156
  Escudilla Research Natural Area, 7(3): 107-117
  natural diversity planning, 5(4): 8-13
  Pacific Northwest old growth management, 8(1): 13-16
  reserve planning, Alaska, 1(3): 6-10
  species diversity standards, 8(4): 256-266
Utah, state reports, 3(4): 68, 5(3): 31, 6(3): 38, 7(4): 200, 8(3): 220-221

Vegetation, effects of human disturbance on, 7(2): 55-64
Vermont, state report, 8(1): 45-46
Visitor use management, see also Recreation
  boardwalk construction, 2(4): 10-11
  education, 8(3): 212-213
  Machias Seal Island, 4(1): 42-43
  Ohio, 4(1): 30-35, 4(2): 22-25
  South Carolina barrier islands, 7(2): 55-64

Washington
  cover illus., Rialto Beach, Olympic National Park, 5(4)
  Pacific Northwest natural area program, 5(4): 14-23
  state reports, 1(3): 16-17, 1(4): 21, 3(4): 68, 6(4): 40-41, 7(1): 36-37, 8(3): 221
Wellner, Charles A., profile, 6(2): 3-5
West Virginia, state report, 8(1): 46
Whooping crane (*Grus americana*), 5(2): 8-13
Wilderness/wildlands
  California system, 4(4): 29-35
  cover illus.
    Charons Garden Wilderness Area, 4(1)
    Mt. Katahdin, Baxter State Park, 4(4)
  editorial (J. Karel), 4(4): 4-5
  national wilderness preservation system, 4(4): 6-19
  review of state programs, 4(4): 20-28
  survey of values, 6(2): 37-43
  theme issue, 4(4)
  Wisconsin system, 4(4): 36-41
Wildlife
  old growth, 8(3): 138-145
  prairie, effect of fire, 8(4): 267-276
Winged wahoo (*Euonymus alatus*), 4(2): 26-29
Wisconsin
  forest preserve design, 3(4): 38-46
  hunting policies, 1(1): 5-9
  natural areas conference 1982, 2(1): 26
  natural divisions, 3(2): 51-54
  oak savanna distribution, 6(2): 6-36
  state reports, 1(1): 12, 1(4): 21, 4(2): 30, 6(4): 41, 8(3): 221-222
  wild resources system, 4(4): 20-28, 4(4): 36-41
Woodpecker, ivory-billed (*Campephilus principalis*), cover illus., 5(2)
Wyoming, state reports, 1(3): 17, 4(3): 30-31, 8(1): 46

Natural Areas Journal — Back Issues

The *Natural Areas Journal*, official publication of the Natural Areas Association, provides a forum for communication among persons involved in the identification, preservation, protection, and management of natural areas and elements of natural diversity. Back issues of the journal are available for $10 each. Prices include postage and handling.

☐ Vol. 1, No. 1 (Out-of-print) — Illinois Landowner Contact Program-Revisited; Hunting Policies; History of the NAA

☐ Vol. 1, No. 2 — Standardized Ecological Measurement; Bibliography-Design and Management of Nature Preserves; Preserving Species and Natural Systems in Our Natural Area Parks

☐ Vol. 1, No. 3 — Plant Responses to Prairie Management; Type Needs for Ecological Reserves in Alaska; Recognition Versus Acquisition for Natural Heritage Preservation-Maine and Arizona

☐ Vol. 1, No. 4 — Management of Prairie Habitats for Insect Conservation; Community Management-Forests; State Natural Heritage Programs-Overview; Aerial Surveillance Techniques to View Natural Areas

☐ Vol. 2, No. 1 — Illinois Landowner Contact Program-A Personal View; State Plant Recovery Activities; Coordinated Federal and State Natural Area Efforts in Colorado; Surveying Natural Areas on Maine's Public Lands

☐ Vol. 2, No. 2 (Out-of-print) — Use of Size-Class Analysis for Forest Management; Indiana Ginseng Program; Control of Leafy Spurge; Identifying Missouri Prairie Communities Using Aerial Photography; State Income Tax Refunds for State Natural Area Programs

☐ Vol. 2, No. 3 — Effects of Exotic Plant and Animal Species; Ohio's Endangered Plant Law; Vegetation-Fire Ecology of Tallgrass Prairie; SPECIAL SUPPLEMENT ON ENDANGERED SPECIES

☐ Vol. 2, No. 4 — Management Practices for Absinth Sage; Boardwalk Construction in a Missouri Fen; Selected Natural Diversity Bibliography

☐ Vol. 3, No. 1 — Exotic Shrubs; Management of Multiflora Rose; Management for Smooth Sumac, Poison Ivy, and Other Sumac Species; Research Goals of Natural Areas

☐ Vol. 3, No. 2 — THEME: NATURAL DIVISIONS
Ecological/Natural Subdivisions of the United States; Natural Divisions of Arkansas; Natural Divisions of Ohio; Natural Divisions of Missouri; Natural Divisions of Wisconsin; Minnesota's Landscape Regions

☐ Vol. 3, No. 3 — THEME: BIOGEOGRAPHY-ANIMALS
Different Levels of Natural Area Thinking; Minimum Viable Populations-A Review; The Problem of Large Mammals in Natural Areas Selection

☐ Vol. 3, No. 4 (Out-of-print) — THEME: BIOGEOGRAPHY-PLANTS — Island Biogeography and Preserve Design; Preserving the Vascular Plants of Great Smoky Mountains National Park; Tallgrass Prairie Orchids-Implications Toward Management; Minimum Size for Nature Preserves From Southeastern Wisconsin Forests; Natural Area Movement in the United States-Its Past and Its Future

☐ Vol. 4, No. 1 — Canadian Approach to Natural Area Protection; Public Dedication of Nature Preserves; Selection of High Mountain Lakes as Natural Areas; Assessing Visitation in Four Ohio State Nature Preserves

☐ Vol. 4, No. 2 — THEME: EXOTIC SPECIES
Management Practices for Japanese Honeysuckle and Canada Thistle; Social Research Inputs Into Ohio's Natural Areas Program; Naturalized Winged Wahoo in Illinois

☐ Vol. 4, No. 3 — THEME: LANDOWNER CONTACT
A New Profession for Natural Areas Preservation; Six Years of Landowner Contact in Illinois; Landowner Contact-A Pilot Project in Ontario; The Nature Conservancy's Registry Programs

☐ Vol. 4, No. 4 — THEME: WILDERNESS/WILDLANDS
The National Wilderness Preservation System-Its Place in Natural Area Protection; State Wilderness Preservation Activities; California's Wilderness System; Wisconsin's Wild Resources System

☐ Vol. 5, No. 1 — Characterizing Presettlement Vegetation; Rapid Method for Determining Losses of Native Vegetation; Training Opportunities in Prescribed Fire Management

☐ Vol. 5, No. 2 — THEME: ENDANGERED SPECIES
Protecting Critical Whooping Crane Habitat on the Platte River; A Model Plant Protection Act; Nest Site Selection, Productivity, and Food Habits of Northern Harriers in Missouri; Conservation Programs for Endangered Insects in California

☐ Vol. 5, No. 3 — Vegetative Effects and Management Implications of a Fall Prescribed Burn on an Illinois Hill Prairie; Cattail Management; Rare Plant Surveys-Techniques for Impact Assessment

☐ Vol. 5, No. 4 — In Absentia Benefits in Tennessee; Natural Diversity and Forest Planning; Pacific Northwest Natural Area Program

☐ Vol. 6, No. 1 — THEME: RARE PLANT MONITORING
Monitoring Rare Plant Species and Natural Areas; Four-Year Changes in Population Size of the Endemic Furbish's Lousewort; Endangered Plant Inventory and Monitoring Species at Indiana Dunes National Lakeshore; Survey of Rare Plant Monitoring Programs, Regions, and Species Priority; Outcome of Research Natural Areas in National Forest Planning

☐ Vol. 6, No. 2 — Extent and Status of Midwest Oak Savanna; Wilderness Values; Acres, Inc.-Twenty-Five Years of Natural Area Preservation

☐ Vol. 6, No. 3 — THEME: RARE PLANT MONITORING
Experimental Designs and Statistical Methods for Demographic Studies of Rare Plants; Predicting the Future of Rare Plant Populations; Considerations in Evaluating and Monitoring Populations of Rare Plants in Successional Environments

☐ Vol. 6, No. 4 — Selection and Design of Forested Nature Reserves in Algonquin Park, Ontario; Archaeology in a Natural Area; Ecological Ramifications of Exotics; Sedge Meadows of the Upper Midwest; The Land Trust Exchange

☐ Vol. 7, No. 1 — THEME: LANDSCAPE ECOLOGY
Protecting Natural Areas in Fragmented Landscapes; Natural Disturbance, Patch Dynamics and Landscape Pattern; From Fragmentation to Extinction

☐ Vol. 7, No. 2 — Recreational Impact on Vegetation, Avifauna, and Herpetofauna of Four South Carolina Barrier Islands; Monitoring Non-Rhizomatous, Perennial Plant Species; Ecology and Control of Reed Canary Grass; National Estuarine Reserve System; Protecting Remnant Natural Communities Along Rural Roadsides

☐ Vol. 7, No. 3 — Value of Old Growth Forests; Prairie Resources of National Parks of the Great Plains; Study of an Undisturbed Montane Grassland in Arizona; Integrated Conservation Strategies for Endangered Plants

☐ Vol. 7, No. 4 — THEME: GEOLOGY
Preserving the Geological Component of Our Natural Heritage; Selecting Natural Areas for Geological Features in Alaska; Selecting Geological Sites for Natural Landmark Designation; Colorado's Geological Advisory Group; Protecting Fossil Resources in the National Park System

☐ Vol. 8, No. 1 — THEME: OLD-GROWTH FORESTS
Scientific Value of Trees in Old-Growth Natural Areas; Old-Growth Forests: A Conservationist's Perspective; Old-Growth Ponderosa Pine in Arizona and New Mexico; Protecting Old-Growth Forests on Federal Lands in Western Oregon and Washington; Old-Growth Forests Within the Piedmont of South Carolina

☐ Vol. 8, No.2 (Out-of-print) — Distribution and Protection of Northern Cavefish in Indiana and Kentucky; Looking Beyond National Park Boundaries; Managing Prairie Remnants for Insect Conservation; Endangered Plant Conservation; Protection of Pine Ridge Cemetery Prairie; State Legislative Initiatives on Natural Areas; No Romantic Landscapes for Our National Parks?

☐ Vol. 8, No. 3 — THEME: OLD-GROWTH FORESTS
Wildlife and Old-Growth Forests in Southeastern Alaska; Protected Old-Growth Forests in Coastal British Columbia; Red-Cockaded Woodpeckers; Old-Growth Forests of Adirondack Park; Old Growth and Forest Dynamics in the Douglas-Fir Region; Old-Growth Forests in the Northern Rocky Mountains

☐ Vol. 8, No. 4 — How the BLM Designates and Protects ACEC's; The Dangers of Transplantation; Guide to Interpreting the Public Land Survey Field Notes in Illinois; Habitat Standards for Maintaining Species Diversity on a National Forest; Effects of Burning at Little Bluestem Prairie

To order, check issues desired and send completed form with check (payable to Natural Areas Association) to:

Natural Areas Association
320 South Third Street
Rockford, IL 61104

Name: _____ Daytime Phone: _____

Shipping Address: _____

_____

_____

_____

	Individual Issues @ $10	
	Total Enclosed	

For additional information, phone (815) 964-6666

10 002165233
UNIVERSITY OF HAWAII

The Natural Areas Association
320 South Third Street
Rockford, IL 61104

ADDRESS CORRECTION REQUESTED

NONPROFIT ORG.
U.S. POSTAGE
PAID
Permit No. **3619**
ROCKFORD, ILLINOIS